

THE THERAPIST

JOURNAL OF THERAPIES & REHABILITATION SCIENCES https://thetherapist.com.pk/index.php/tt ISSN (P): 2790-7406, (E): 2790-7414 Volume 5, Issue 4 (Oct-Dec 2024)

Review Article

Biomechanical Changes in Football Players Post Functional Strength Training: A Review paper

Hippolyte Fritz Tchomche¹, Luo Bingquan¹ and Sumbal Shoukat¹

¹Capital University of Physical Education and Sports Beijing, China

ARTICLE INFO

Keywords:

Biochemical Changes, Football, Balance, Injury, Risk prevention, Functional Strength Training

How to Cite:

Tchomche, H. F., Bingquan, L., & Shoukat, S. (2024). Biomechanical Changes in Football Players Post Functional Strength Training: A Review paper: Biochemical Changes After Functional Strength Training. THE THERAPIST (Journal of Therapies &Amp; Rehabilitation Sciences), 5(04), 18-23. https://doi.org/10.54393/tt.v5i04.244

*Corresponding Author:

Luo Bingquan Capital University of Physical Education and Sports Beijing, China luobingquan@cupes.edu.cn

Received date: 10th November, 2024 Acceptance date: 26th December, 2024 Published date: 31st December, 2024

ABSTRACT

The assessment of how functional strength training (FST) influences movement efficiency alongside core stability together with sprint mechanics and agility and injury prevention forms the foundation of this review. The data demonstrates how better posture, reduced energy costs together with enhanced movements result in noticeable improvements. Functional strength training allowed neuromuscular adaptations such as increased excitatory drive that can lead to an elevated jumping frequency and higher number of activated motor units. Further, neuromuscular adaptations enhance dynamic postural stability and core stabilizing capacities and prove effective for improving hip movements and stride efficiency in sprinting and running techniques. The effectiveness of FST is further supported by increased agility, which is shown by better cutting and pivoting mechanics. The injury risk protection offered by FST stems from its ability to fix muscular weaknesses along with provision of balance between different areas. Functional training also significantly enhances athletes' cardiorespiratory endurance performance. Various data points including joint angles alongside ground reaction forces together with muscle activation levels have also been documented in the literature. Future research should focus on the training protocols tailored to the specific capabilities required for improving athletics' performance because the positions in which the player is playing are different, and the training protocol should be specified accordingly.

INTRODUCTION

Athletes participating in football need to develop strength as well as agility, endurance, and power because the sport always demands high-intensity performance. Highintensity movements that involve sprinting along with jumping, multidirectional changes and tackling form the critical foundation for field success in football. The sequence of intense movements happens back-to-back during games [1]. Running intensity in football depends strongly on the variables between positions and team strategies but also competition strength. Top-tier players execute more high-intensity movements when compared to average players in their playing field [2]. Successful football performance requires highly specialized strength and conditioning for athletes. The intense physical nature of football also raises the risks of developing injuries which most commonly affect the lower body areas. The knees and ankles make up 61.2% of all reported injuries based on analysis [3]. The strength capability of player joints and muscles needs to sustain these forces. Different combinations of weak muscles along with insufficient endurance and muscle flexibility together with physical weaknesses create potential risk for knee injuries [4]. Traditional strength training receives less attention among football players because researchers advocate functional strength training as a superior method. The main goal of FST is to build athletic performance through strengthened movements along with improved body mechanics for better functionality [5]. The combination of strength training boosts athletic performance as well as minimizes risks of harm during complicated high-intensity athletic

activities. By correcting muscle imbalances and improving knee joint stability in professional football players, individualized resistance training may provide further advantages [6]. This review explores how FST benefits football players by improving running mechanics, core stability, and movement efficiency while also playing a significant role in injury prevention. Participation in football sports demands a combination of powerful force input with outstanding balance and movement coordination from players [7]. The strength ability by itself proves insufficient since athletes also need training that allows them to apply this strength through dynamic movements required in their respective sports. Lower-body power synergizes with neuromuscular control to perform sprinting and lateral movements and rapid decelerations. Both jumping moves and ball heading activities need powered force together with stability during positions in the mid-air [8]. A sudden and quick response in the field demands not only the strength of lower body parts but also necessitates an appropriate and coordinated movement of upper body. Football matches exceed usually ninety minutes and thus require players to maintain their energy levels throughout the entire game duration [9]. Weightlifting alone does not suffice for this purpose, so training needs to include movements which can simulate authentic on-field situations together with performance-enhancing features. The core concept of functional strength training is to enhance movement efficiency above everything else because it meets the biomechanical specifications [10]. The approach provides training benefits which directly translate into real-life performance making it an optimal choice specifically for athletes. FST delivers different benefits than weightlifting since it uses multi-joint, multiplane movements that optimize coordination besides neuromuscular function. Athletes who perform exercises that include kettlebell swings in combination with sled pushes and resistance band drills and squats and lunges improve their performance-related strength [11]. During FST training people engage with unstable surfaces and perform balance exercises and exercises which demand proprioceptive exercises to make muscles operate together while enhancing total coordination and stability [12]. The most crucial component of functional training enables the individual to work independently of any machine, utilizing the limitations of his own body. The individual can accomplish his aim by using the four fundamental movements in this program. These motions include rotation, level shifting, pushing and pulling, and pausing and switching [13, 14]. Success in sports rises in tandem with the renewal of sports records and training techniques through scientific study and approaches, as well as with the aid of science and technology that are

developing daily. Long-term, methodical implementation of a well-designed functional training program is crucial to lowering injury risk and enhancing athletes' performance [15]. Extensive research demonstrates that FST provides valuable advantages to football players, leading to progress in running methods and body movement quality and core control development [13]. The performance of specific running techniques serves as essential for attaining speed and accelerated speed while preventing injuries. The muscular strength obtained through FST makes foot and ankle movements more efficient during sprinting by improving hamstring power and activation with gluteal and hip flexor strength [16]. Placing the feet properly while exercising with ground reaction force components helps athletes sustain proper posture as it reduces energy drains during their high-speed movements. Athletes can shift in all directions with speed and preserve their stability through increased movement efficiency during highintensity football moments. The strengthening of a person's core represents a primary advantage of FST[17]. A powerful and stable core functions as a power conduit that distributes energy between lower and upper body segments to execute essential abilities such as shooting, passing along with ball protection. The performancebased exercises including plank variations and rotational medicine ball throws and stability ball drills increase core strength aspects which help football-specific movements Planks increase core strength by engaging multiple muscles in the abdominal region such as rectus abdominis, external oblique and erector spinae and transverse abdominis, that is a deep core muscle capable of stabilizing the spine, thus improving overall trunk stability and posture when held in a contracted position; essentially, by isometrically contracting these muscles for a sustained period, you build strength throughout the core [18], (Table Among all FST benefits, injury prevention represents a crucial advantage that stands as the most vital point. Professional football athletes face high risks of sustaining knee and ankle injuries together with hamstring injuries during their matches since the sport demands repetitive sprints and quick turns and frequent physical collisions [19]. Weak stabilizer muscles together with muscle imbalances serve as common causes behind most injuries. The major muscles get stronger through traditional training yet smaller muscles that sustain joints receive insufficient attention. The approach of functional training solves this issue because it combines exercises which train the major muscle groups alongside their stabilizing counterparts [20]. Wrestlers can enhance knee protection by performing squats and lateral band walks which build strength in the crucial gluteus medius muscle The Bulgarian split squat is a unilateral exercise that increases

the demand on the glutes while also enhancing stability and coordination. Research has shown that unilateral exercises like the Bulgarian split squat are highly effective for targeting the gluteus medius, a crucial muscle for hip stability [21]. Lateral band walks are a simple but effective exercise for targeting the gluteus medius. A study in the Journal of Orthopaedic & Sports Physical Therapy found that lateral band walks significantly activate the gluteus medius, an often-underdeveloped muscle that plays a key role in hip stability. Joint stability improves from performing proprioceptive exercises which include balance board drills and eccentric hamstring curls leading to diminished risks of ligament injuries such as ACL tears [22]. Specific FST training routines created for individual athletes lead to improved athletic performance together with better resistance against injuries. A football team requires specific physical qualities in their positions which must be addressed through individually designed training programs [23]. The ability of strikers to accelerate and jump improves with explosive sprint training while midfielders need endurance alongside dynamic strength exercises for maintaining their game performance. To succeed in defensive situations players must train their upper body and conduct reaction-based agility workouts against approaching attackers [24]. The training focus of goalkeepers includes reaction-based instruction as well as core stability exercises and explosive lower-body movements that enhance diving performance and speed of movement shifts. A correctly designed functional training system takes into account the specific needs of different positions and features activities that replicate actual gameplay movements. Numerous scientific studies show that FST produces effective results for football athletes [25]. Athletes who use functional strength programs perform their movements better while making fewer injuries happen and achieving better nerve-muscle control than athletes who train their strength according to traditional methods. Scientists analyzed FST effects on elite footballers by monitoring players who did functional exercises that led to better sprinting and improved balance, enhanced agility skills. Research showed that neuromuscular training exercises reduce knee and ankle injuries during football matches when performed by players [26]. At the molecular level, the total force-generating capacity is determined by the size and contractile characteristics of the muscle fibers, the frequency of operation, and the number of activated motor units. Increased excitatory drive-in trained individuals can result in a higher frequency of jumping and a greater number of activated motor units, among other brain changes. Additionally, the increased force output following training is a result of decreased antagonist coactivation and increased agonist, synergist, and stabilizer activation [27-30]. But the only information available for many of these neuromuscular adaptations comes from rodent models [31]. Currently professional football teams are using FST training as part of their programs because coaches and sports scientists are demonstrating its benefits for extending player careers and reducing injuryrelated time off [32]. Furthermore, some research has shown a strong positive correlation between balance, muscle strength, and flexibility [33]. One plausible explanation for this finding is that functional training strengthens the subjects' core muscles, which enhances their ability to control their spine and pelvis, coordinates their shift in center of gravity and posture adjustment during movement, and improves their ability to balance [34](Figure 1).



Figure 1: Different Exercises in FST lead to improvements in Football-Related Movements

Table 1: Exercises and their Intended Improvement

Exercise	Targeted Biomechanical Improvement
Single-Leg Squats	glute activation, stability of knee, maintenance of balance
Bulgarian Split Squats	mobility of hip, strength in lower-body parts
Sled Pushes	Acceleration of sprints, explosive force production
Medicine Ball Throws	Core rotation strength, power transfer
Lateral Band Walks	Preventing injury, activating Hip abductor

Additional research has shown that functional training greatly improved athletes' cardiorespiratory endurance performance; yet one study found no discernible variation in the group's postintervention results. These findings might be explained by the fact that long-term elite athletes or those who have been a part of regularly scheduled exercise programs for longer than three years have significantly altered their bodies [35], and improvements in cardiorespiratory endurance directly affect athletic performance [36]. FST provides athletes with a game-changing method to enhance their performance while building resilience because it applies biomechanical football requirements to its training strategies [37]. FST functions as a valuable contemporary football conditioning technique because it provides specific movement strength

with core stability and joint protective support. Functional training principles spread throughout professional and grassroots football now allow all footballers from different developmental levels to obtain benefits from training methods which emphasize functional movements before isolated strength gain. Research data proves FST has vital importance for football training because it delivers optimal performance and injury protection for professional athletes from beginning to end of their careers [38]. The study review highlights how important functional strength training (FST) is for improving football performance and lowering injury risks. To effectively execute high-intensity movements, football players need a blend of strength, agility, and endurance. Improved running mechanics, core stability, and movement efficiency are just a few of the well-established biomechanical advantages of FST. Furthermore, by correcting muscle imbalances and improving joint stability, the incorporation of customized training regimens reduces the risk of injuries, especially in the knees and ankles. Despite the encouraging outcomes, the findings' generalizability is constrained by the variations in study designs and short-term interventions. Implementing thorough FST programs is further hampered by practical issues in professional football, such as player workloads and match schedules. The long-term effects of FST, the creation of standardized training regimens, and the requirements of various playing positions should be the focus of future studies. The field can advance toward optimizing training methods that protect players' health and improve performance by closing these gaps. Evidencebased strategies like FST will be essential in addressing the physical demands of the game while putting an emphasis on injury prevention as the sport develops. Additionally, programs of training must concentrate on the particular skills needed to enhance performance. The player plays a variety of roles, just like in soccer, so the training regimen should be tailored to each position.

CONCLUSIONS

Football athletes achieve better biomechanical performance through functional strength training that enhances their patterned movements together with stability and neuromuscular coordination system. Training with specific sports engagements allows an improved generation of force while enhancing balance and agility during performance. The players gain better joint stability, low risk of injuries together with stronger sprinting power output, better jumping abilities and improved directional control. The activation of core muscles together with better postural alignment during functional strength training creates better energy transfer between body segments while decreasing additional body movements. Future research must concentrate on duration-based biomechanical changes, injury-preventative training solutions and the most reliable training plans for distinct positions in the field. Post-training movement analysis alongside muscle activation evaluation gives complete insight regarding both performance boost approaches and prevention of athletic injuries.

Authors Contribution

Conceptualization: LB Methodology: HFT, LB, SS Formal analysis: HFT, LB, SS Writing review and editing: HFT, LB, SS

All authors have read and agreed to the published version of the manuscript

Conflicts of Interest

All the authors declare no conflict of interest.

Source of Funding

The authors received no financial support for the research, authorship and/or publication of this article.

REFERENCES

- [1] Garbenytė-Apolinskienė T, Šiupšinskas L, Salatkaitė S, Gudas R, Radvila R. The Effect of Integrated Training Program on Functional Movements Patterns, Dynamic Stability, Biomechanics, And Muscle Strength of Lower Limbs in Elite Young Basketball Players. Sport Sciences for Health. 2018 Aug; 14: 245-50. doi:10.1007/s11332-017-0409-y.
- [2] Ivan Z. Anatomy, Physiology and Biomechanics of Hamstrings Injury in Football and Effective Strength and Flexibility Exercises for Its Prevention. Journal Of Human Sport and Exercise. 2012; 7(1): S208-17. doi:10.4100/jhse.2012.7.Proc1.24.
- [3] Rado I, Alić H, Bajramović I, Jelešković E, Ćović N, Likić S, et al. Functional Strength Training Effects on Knee Flexors and Extensors Power Output in Football Players. Sport Mont. 2016 Jun; 14(2): 13-6.
- [4] Sundstrup E, Jakobsen MD, Andersen LL, Andersen TR, Randers MB, Helge JW, et al. Positive Effects Of 1-Year Football and Strength Training on Mechanical Muscle Function and Functional Capacity in Elderly Men. European Journal of Applied Physiology. 2016 Jun; 116: 1127-38. doi:10.1007/s00421-016-3368-0.
- [5] Andersen TR, Schmidt JF, Nielsen JJ, Randers MB, Sundstrup E, Jakobsen MD, et al. Effect of Football or Strength Training on Functional Ability and Physical Performance in Untrained Old Men. Scandinavian Journal of Medicine & Science in Sports. 2014 Aug; 24: 76-85. doi:10.1111/sms.12245.
- [6] Mohr M, Draganidis D, Chatzinikolaou A, Barbero-Álvarez JC, Castagna C, Douroudos I, et al. Muscle Damage, Inflammatory, Immune and Performance Responses to Three Football Games In 1 Week in

Competitive Male Players. European Journal of Applied Physiology. 2016 Jan; 116: 179-93. doi:10.1007 /s00421-015-3245-2.

- [7] Sundstrup E, Jakobsen MD, Andersen JL, Randers MB, Petersen J, Suetta C, et al. Muscle Function and Postural Balance in Lifelong Trained Male Footballers Compared with Sedentary Elderly Men and Youngsters. Scandinavian Journal of Medicine & Science in Sports. 2010 Apr; 20: 90-7. doi:10.1111/j. 1600-0838.2010.01092.x.
- [8] Helgerud J, Rodas G, Kemi OJ, Hoff J. Strength and Endurance in Elite Football Players. International Journal of Sports Medicine. 2011Sep; 32(09): 677-82. doi:10.1055/s-0031-1275742.
- [9] Alarcón A, Henríquez M, Peñailillo L. Effects of Lower Limb Eccentric Strength Training on Functional Measurements in Football Players with Cerebral Palsy. European Journal of Adapted Physical Activity. 2021 Jan; 14(1). doi:10.5507/euj.2020.010.
- [10] Lehnert M, Stastny P, Tufano JJ, Stolfa P. Changes in Isokinetic Muscle Strength in Adolescent Soccer Players After 10 Weeks of Pre-Season Training. The Open Sports Sciences Journal. 2017 Apr; 10(1). doi:10.2174/1875399X01710010027.
- [12] Hammami R, Granacher UR, Makhlouf I, Behm DG, Chaouachi A. Sequencing Effects of Balance and Plyometric Training on Physical Performance in Youth Soccer Athletes. The Journal of Strength & Conditioning Research. 2016 Dec; 30(12): 3278-89. doi:10.1519/JSC.000000000001425.
- [13] Gavanda S, Isenmann E, Geisler S, Faigenbaum A, Zinner C. The Effects of High-Intensity Functional Training Compared with Traditional Strength or Endurance Training on Physical Performance in Adolescents: A Randomized Controlled Trial. The Journal of Strength & Conditioning Research. 2022 Mar; 36(3): 624-32. doi:10.1519/JSC.00000000000 4221.
- [14] Du X. Functional Training on Ankle Sprain Rehabilitation in Soccer Players. Revista Brasileira De Medicina Do Esporte. 2022 May; 28: 709-12. doi:10.1590/1517-8692202228062022_0085.
- [15] Abade E, Silva N, Ferreira R, Baptista J, Gonçalves B, Osório S. Effects of Adding Vertical or Horizontal Force-Vector Exercises to In-Season General Strength Training on Jumping and Sprinting Performance of Youth Football Players. The Journal

of Strength & Conditioning Research. 2021 Oct; 35(10): 2769-74. doi:10.1519/JSC.00000000000 3221.

- [16] Deane RS, Chow JW, Tillman MD, Fournier KA. Effects Of Hip Flexor Training on Sprint, Shuttle Run, And Vertical Jump Performance. The Journal of Strength & Conditioning Research. 2005 Aug; 19(3): 615-21. doi:10.1519/00124278-200508000-00022.
- [17] Kumar R and Zemková E. The Effect Of 12-Week Core Strengthening and Weight Training on Muscle Strength, Endurance and Flexibility in School-Aged Athletes. Applied Sciences. 2022 Dec; 12(24): 12550. doi:10.3390/app122412550.
- [18] Byrne JM, Bishop NS, Caines AM, Crane KA, Feaver AM, Pearcey GE. Effect Of Using a Suspension Training System on Muscle Activation During the Performance of a Front Plank Exercise. The Journal of Strength & Conditioning Research. 2014 Nov; 28(11): 3049-55. doi:10.1519/JSC.0000000000000 510.
- [19] Beato M, Maroto-Izquierdo S, Turner AN, Bishop C. Implementing Strength Training Strategies for Injury Prevention in Soccer: Scientific Rationale and Methodological Recommendations. International Journal of Sports Physiology and Performance. 2021 Jan; 16(3): 456-61. doi:10.1123/ijspp.2020-0862.
- [20] Baltich J, Emery CA, Stefanyshyn D, Nigg BM. The Effects of Isolated Ankle Strengthening and Functional Balance Training on Strength, Running Mechanics, Postural Control and Injury Prevention in Novice Runners: Design of A Randomized Controlled Trial. BMC Musculoskeletal Disorders. 2014 Dec; 15: 1-2. doi:10.1186/1471-2474-15-407.
- [21] Aguilera-Castells J, Buscà B, Morales J, Solana-Tramunt M, Fort-Vanmeerhaeghe A, Rey-Abella F, et al. Muscle Activity of Bulgarian Squat. Effects Of Additional Vibration, Suspension and Unstable Surface. Plos One. 2019 Aug; 14(8): e0221710. doi:10.1371/journal.pone.0221710.
- [22] Kim SS, Jo S, Lee SG, Song C. Investigating the Impact of Different Resisted Lateral Band Walking Strategies on Hip Abductor Muscle Activity. Physical Therapy Rehabilitation Science. 2023; 12(1): 1-1. doi: 10.14474/ptrs.2023.12.1.1.
- [23] Bloomfield J, Polman R, O'Donoghue P. Physical Demands of Different Positions in FA Premier League Soccer. Journal Of Sports Science & Medicine. 2007 Mar; 6(1):63.
- [24] Meyers RW, Radnor JM, Cahill M. Long-Term Athlete Development for Multidirectional Speed. In Multidirectional Speed in Sport. 2023 (pp. 338-357). Routledge. doi:10.4324/9781003267881-20.

- [25] Gavanda S, Isenmann E, Geisler S, Faigenbaum A, Zinner C. The Effects of High-Intensity Functional Training Compared with Traditional Strength or Endurance Training on Physical Performance in Adolescents: A Randomized Controlled Trial. The Journal of Strength & Conditioning Research. 2022 Mar; 36(3): 624-32. doi:10.1519/JSC.00000000000 4221.
- [26] Rahlf AL and Zech A. Comparison Of 10 Vs. 20 Min Neuromuscular Training for The Prevention of Lower Extremity Injuries in Male Youth Football: A Cluster Randomised Controlled Trial. Journal Of Sports Sciences. 2020 Oct; 38(19): 2177-85. doi:10.1080/026 40414.2020.1776459.
- [27] Panagoulis C, Chatzinikolaou A, Avloniti A, Leontsini D, Deli CK, Draganidis D, et al. In-Season Integrative Neuromuscular Strength Training Improves Performance of Early-Adolescent Soccer Athletes. The Journal of Strength & Conditioning Research. 2020 Feb; 34(2): 516-26. doi:10.1519/JSC.000000000 0002938.
- [28] Dos' Santos T, Thomas C, Comfort P, Jones PA. Biomechanical Effects of A 6-Week Change Of Direction Speed And Technique Modification Intervention: Implications For Change Of Direction Side Step Performance. The Journal of Strength and Conditioning Research. 2022 Oct; 36(10): 2780-91. doi: 10.1519/JSC.00000000003950.
- [29] Zouhal H, Abderrahman AB, Dupont G, Truptin P, Le Bris R, Le Postec E, et al. Effects of Neuromuscular Training on Agility Performance in Elite Soccer Players. Frontiers In Physiology. 2019 Jul; 10: 947. doi:10.3389/fphys.2019.00947.
- [30] Hasan S, Kandasamy G, Alyahya D, Alonazi A, Jamal A, Iqbal A, et al. Effect of Plyometric Training and Neuromuscular Electrical Stimulation Assisted Strength Training on Muscular, Sprint, And Functional Performances in Collegiate Male Football Players. PeerJ. 2022 Jun; 10: e13588. doi:10.7717/ peerj.13588.
- [31] Shibata T, Tashiro S, Shinozaki M, Hashimoto S, Matsumoto M, Nakamura M, et al. Treadmill Training Based on The Overload Principle Promotes Locomotor Recovery in A Mouse Model of Chronic Spinal Cord Injury. Experimental Neurology. 2021 Nov 1;345:113834. doi:10.1016/j.expneurol.2021.113834.
- [32] Sadeghi H, Jehu DA, Daneshjoo A, Shakoor E, Razeghi M, Amani A, et al. Effects Of 8 Weeks of Balance Training, Virtual Reality Training, And Combined Exercise on Lower Limb Muscle Strength, Balance, And Functional Mobility Among Older Men: A Randomized Controlled Trial. Sports Health. 2021

Nov; 13(6): 606-12. doi:10.1177/1941738120986803.

- [33] Kartal A. The Relationships Between Dynamic Balance and Sprint, Flexibility, Strength, Jump in Junior Soccer Players. Pedagogy Of Physical Culture and Sports. 2020; 24(6): 285-9. doi:10.15561/266498 37.2020.0602.
- [34] Baron J, Bieniec A, Swinarew A, Skalski D, Stanula A. The Effects of Twelve-Week Functional Training on The Power of The Lower Limbs of Young Footballers. Acta Kinesiologica. 2020; 14(1): 70-6. doi:10.3390/ ijerph17010160.
- [35] Posnakidis G, Aphamis G, Giannaki CD, Mougios V, Aristotelous P, Samoutis G. High-Intensity Functional Training Improves Cardiorespiratory Fitness and Neuromuscular Performance Without Inflammation or Muscle Damage. The Journal of Strength & Conditioning Research. 2022 Mar; 36(3): 615-23. doi:10.1519/JSC.000000000003516.
- [36] Singh LS, Farooque S, Singh WJ, Zelenovic M. Enhancing Cardiorespiratory and Muscular Endurance in Football Players: The Impact of a Six-Week Interval Training Program. Journal Sport Area. 2024 Mar; 9(1): 88-97. doi:10.25299/sportarea.2024. vol9(1).14869.
- [37] Lisenchuk G, Leleka V, Bogatyrev K, Kokareva S, Adamenko O, Shchekotylina N, et al. Fitness Training In Functional Preparedness Of Highly Qualified Football Players. Journal Of Physical Education and Sport. 2023 Feb; 23(2): 502-9.
- [38] Kumahara R, Sasaki S, Sasaki E, Kimura Y, Yamamoto Y, Tsuda E, et al. Effect of A Simple Core Muscle Training Program on Trunk Muscle Strength and Neuromuscular Control Among Pediatric Soccer Players. Journal Of Experimental Orthopaedics. 2021May; 8(1): 36. doi:10.1186/s40634-021-00353-y.